

CANADIAN HEMOPHILIA REGISTRY
Rare Coagulation Disorders, April 15, 2014
STATS CANADA - AGE GROUPS

Report Date: April-15-14

| | | | | | | | |
|-----------|----------------------------|-----------|--------|--------|-----------|------------------------------------|----------|
| Selection | Prov: * | Inhib.: * | HIV: * | HCV: * | Gender: * | PtStatus: Active or Pending | Level: * |
| | Centre: All Centers | | | | | | |

| Category | Gender | Count | (0-4) | (5-9) | (10-14) | (15-24) | (25-34) | (35-44) | (45-54) | (55-64) | (65-74) | (75-84) | (85+) |
|----------|--------|-------|-------|-------|---------|---------|---------|---------|---------|---------|---------|---------|-------|
|----------|--------|-------|-------|-------|---------|---------|---------|---------|---------|---------|---------|---------|-------|

| | | | | | | | | | | | | | |
|----------------------------|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Acquired Hemophilia | | | | | | | | | | | | | |
|----------------------------|--|--|--|--|--|--|--|--|--|--|--|--|--|

| | | | | | | | | | | | | | |
|-----------------------------|-------------------|-----------|----------|----------|----------|----------|----------|----------|----------|----------|-----------|-----------|----------|
| AcqHemo | F | 12 | 0 | 0 | 1 | 0 | 0 | 0 | 3 | 0 | 4 | 4 | 0 |
| | M | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 3 | 1 | 3 | 2 |
| <i>subtotal :</i> | | 22 | 0 | 0 | 1 | 0 | 0 | 0 | 4 | 3 | 5 | 7 | 2 |
| AcqHemo severe | F | 11 | 0 | 0 | 0 | 1 | 0 | 3 | 2 | 1 | 0 | 4 | 0 |
| | M | 15 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 3 | 4 | 4 | 3 |
| <i>subtotal :</i> | | 26 | 0 | 0 | 0 | 2 | 0 | 3 | 2 | 4 | 4 | 8 | 3 |
| AcqHemo severe Inhib | M | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| | <i>subtotal :</i> | | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| AcqHemo mod | F | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 2 | 0 |
| | <i>subtotal :</i> | | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 2 |
| AcqHemo mild | M | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 0 | 2 |
| | <i>subtotal :</i> | | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 0 |
| AcqHemo mild Inhib | M | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| | <i>subtotal :</i> | | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| AcqHemo normal | F | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| | <i>subtotal :</i> | | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| AcqHemo unknown | M | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 |
| | <i>subtotal :</i> | | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 |
| <i>total :</i> | | 61 | 0 | 0 | 1 | 2 | 1 | 3 | 8 | 8 | 11 | 20 | 7 |

| | | | | | | | | | | | | | |
|-----------------------------------|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Factor V & Factor VIII | | | | | | | | | | | | | |
|-----------------------------------|--|--|--|--|--|--|--|--|--|--|--|--|--|

| | | | | | | | | | | | | | |
|----------------------|---|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| FV FVIII mild | F | 2 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 |
| | M | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 |
| <i>subtotal :</i> | | 4 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 1 | 1 | 0 |
| <i>total :</i> | | 4 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 1 | 1 | 0 |

CANADIAN HEMOPHILIA REGISTRY
Rare Coagulation Disorders, April 15, 2014
STATS CANADA - AGE GROUPS

Report Date: April-15-14

| | | | | |
|-----------|----------------------------|-----------|------------------------------------|----------|
| Selection | Prov: * | Inhib.: * | HIV: * | HCV: * |
| | Centre: All Centers | Gender: * | PtStatus: Active or Pending | Level: * |

| Category | Gender | Count | (0-4) | (5-9) | (10-14) | (15-24) | (25-34) | (35-44) | (45-54) | (55-64) | (65-74) | (75-84) | (85+) | |
|-------------------|----------|-------------------|-----------|----------|----------|----------|-----------|-----------|-----------|-----------|-----------|----------|----------|----------|
| Fibrinogen | | | | | | | | | | | | | | |
| FI | F | 17 | 1 | 1 | 1 | 4 | 2 | 1 | 2 | 2 | 3 | 0 | 0 | |
| | M | 12 | 2 | 1 | 1 | 2 | 1 | 1 | 2 | 2 | 0 | 0 | 0 | |
| | | subtotal : | 29 | 3 | 2 | 2 | 6 | 3 | 2 | 4 | 4 | 3 | 0 | 0 |
| FI severe | F | 3 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | |
| | M | 3 | 0 | 0 | 0 | 0 | 2 | 0 | 1 | 0 | 0 | 0 | 0 | |
| | | subtotal : | 6 | 0 | 0 | 1 | 0 | 2 | 0 | 2 | 1 | 0 | 0 | 0 |
| FI mod | F | 16 | 0 | 0 | 1 | 2 | 1 | 3 | 3 | 3 | 1 | 1 | 1 | |
| | M | 9 | 0 | 0 | 0 | 2 | 1 | 3 | 2 | 0 | 1 | 0 | 0 | |
| | | subtotal : | 25 | 0 | 0 | 1 | 4 | 2 | 6 | 5 | 3 | 2 | 1 | 1 |
| FI mild | F | 18 | 0 | 0 | 0 | 0 | 3 | 2 | 7 | 2 | 3 | 0 | 1 | |
| | M | 10 | 0 | 0 | 1 | 1 | 4 | 2 | 1 | 1 | 0 | 0 | 0 | |
| | | subtotal : | 28 | 0 | 0 | 1 | 1 | 7 | 4 | 8 | 3 | 3 | 0 | 1 |
| | | total : | 88 | 3 | 2 | 5 | 11 | 14 | 12 | 19 | 11 | 8 | 1 | 2 |

| | | | | | | | | | | | | | | |
|-------------------|----------|-------------------|-------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| Factor II | | | | | | | | | | | | | | |
| FII | M | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | | subtotal : | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FII severe | F | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | M | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | subtotal : | 2 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | |
| FII mod | F | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | |
| | | | subtotal : | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| FII mild | F | 5 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 1 | 1 | 1 | |
| | M | 2 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | |
| | | subtotal : | 7 | 0 | 0 | 0 | 1 | 1 | 2 | 0 | 0 | 1 | 1 | 1 |

CANADIAN HEMOPHILIA REGISTRY
Rare Coagulation Disorders, April 15, 2014
STATS CANADA - AGE GROUPS

Report Date: April-15-14

| | | | | |
|-----------|----------------------------|-----------|------------------------------------|----------|
| Selection | Prov: * | Inhib.: * | HIV: * | HCV: * |
| | Centre: All Centers | Gender: * | PtStatus: Active or Pending | Level: * |

| Category | Gender | Count | (0-4) | (5-9) | (10-14) | (15-24) | (25-34) | (35-44) | (45-54) | (55-64) | (65-74) | (75-84) | (85+) |
|--------------------|----------|-----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| Factor II | | | | | | | | | | | | | |
| FII unknown | F | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | M | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>subtotal :</i> | | 2 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>total :</i> | | 13 | 0 | 2 | 2 | 1 | 2 | 3 | 0 | 0 | 1 | 1 | 1 |

| | | | | | | | | | | | | | |
|-------------------|-------------------|-----------|----------|----------|----------|----------|-----------|----------|-----------|----------|----------|----------|----------|
| Factor V | | | | | | | | | | | | | |
| FV | F | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| | M | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>subtotal :</i> | | 2 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| FV severe | F | 6 | 2 | 0 | 0 | 1 | 2 | 0 | 0 | 0 | 0 | 1 | 0 |
| | M | 2 | 0 | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>subtotal :</i> | | 8 | 2 | 1 | 0 | 1 | 3 | 0 | 0 | 0 | 0 | 1 | 0 |
| FV mod | F | 5 | 0 | 0 | 0 | 1 | 1 | 1 | 0 | 1 | 0 | 1 | 0 |
| | <i>subtotal :</i> | | 5 | 0 | 0 | 0 | 1 | 1 | 1 | 0 | 1 | 0 | 1 |
| FV mild | F | 29 | 0 | 0 | 0 | 1 | 8 | 4 | 7 | 1 | 5 | 3 | 0 |
| | M | 17 | 0 | 0 | 0 | 4 | 1 | 3 | 2 | 3 | 1 | 2 | 1 |
| <i>subtotal :</i> | | 46 | 0 | 0 | 0 | 5 | 9 | 7 | 9 | 4 | 6 | 5 | 1 |
| FV unknown | F | 2 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 |
| | M | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>subtotal :</i> | | 3 | 0 | 0 | 0 | 1 | 1 | 0 | 1 | 0 | 0 | 0 | 0 |
| <i>total :</i> | | 64 | 2 | 2 | 0 | 8 | 15 | 8 | 10 | 5 | 6 | 7 | 1 |

| | | | | | | | | | | | | | |
|--------------------|-------------------|-----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| Factor VII | | | | | | | | | | | | | |
| FVII | F | 2 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 |
| | <i>subtotal :</i> | | 2 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 |
| FVII severe | F | 16 | 0 | 0 | 2 | 5 | 2 | 1 | 1 | 3 | 1 | 0 | 1 |
| | M | 23 | 0 | 3 | 5 | 4 | 3 | 2 | 3 | 2 | 1 | 0 | 0 |
| <i>subtotal :</i> | | 39 | 0 | 3 | 7 | 9 | 5 | 3 | 4 | 5 | 2 | 0 | 1 |

CANADIAN HEMOPHILIA REGISTRY
Rare Coagulation Disorders, April 15, 2014
STATS CANADA - AGE GROUPS

Report Date: April-15-14

| | | | | |
|-----------|----------------------------|-----------|------------------------------------|----------|
| Selection | Prov: * | Inhib.: * | HIV: * | HCV: * |
| | Centre: All Centers | Gender: * | PtStatus: Active or Pending | Level: * |

| Category | Gender | Count | (0-4) | (5-9) | (10-14) | (15-24) | (25-34) | (35-44) | (45-54) | (55-64) | (65-74) | (75-84) | (85+) | |
|---------------------|----------|-------------------|------------|----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|----------|----------|
| Factor VII | | | | | | | | | | | | | | |
| FVII mod | F | 16 | 0 | 0 | 1 | 2 | 1 | 2 | 2 | 7 | 0 | 0 | 1 | |
| | M | 12 | 0 | 0 | 0 | 3 | 2 | 1 | 3 | 1 | 2 | 0 | 0 | |
| | | subtotal : | 28 | 0 | 0 | 1 | 5 | 3 | 3 | 5 | 8 | 2 | 0 | 1 |
| FVII mild | F | 102 | 0 | 4 | 8 | 22 | 21 | 18 | 13 | 8 | 2 | 4 | 2 | |
| | M | 115 | 1 | 2 | 10 | 29 | 25 | 16 | 7 | 7 | 10 | 4 | 4 | |
| | | subtotal : | 217 | 1 | 6 | 18 | 51 | 46 | 34 | 20 | 15 | 12 | 8 | 6 |
| FVII unknown | F | 6 | 0 | 0 | 0 | 2 | 0 | 4 | 0 | 0 | 0 | 0 | 0 | |
| | M | 5 | 1 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 0 | 0 | 1 | |
| | | subtotal : | 11 | 1 | 0 | 0 | 2 | 0 | 5 | 1 | 1 | 0 | 0 | 1 |
| | | total : | 297 | 2 | 9 | 26 | 67 | 54 | 46 | 30 | 30 | 16 | 8 | 9 |

| | | | | | | | | | | | | | | |
|-------------------|----------|-------------------|-----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| Factor X | | | | | | | | | | | | | | |
| FX | F | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | |
| | M | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | |
| | | subtotal : | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | |
| FX severe | F | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | M | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| | | subtotal : | 2 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| FX mod | F | 3 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 0 | 0 | 0 | 0 | |
| | M | 6 | 0 | 0 | 0 | 1 | 1 | 1 | 0 | 1 | 2 | 0 | 0 | |
| | | subtotal : | 9 | 0 | 0 | 0 | 1 | 2 | 1 | 2 | 1 | 2 | 0 | 0 |
| FX mild | F | 9 | 0 | 0 | 0 | 1 | 1 | 1 | 1 | 3 | 0 | 2 | 0 | |
| | M | 12 | 0 | 0 | 1 | 0 | 4 | 0 | 1 | 2 | 1 | 2 | 1 | |
| | | subtotal : | 21 | 0 | 0 | 1 | 1 | 5 | 1 | 2 | 5 | 1 | 4 | 1 |
| FX unknown | F | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | |
| | M | | | | | | | | | | | | | |
| | | subtotal : | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| | | total : | 35 | 1 | 1 | 1 | 2 | 7 | 3 | 4 | 6 | 5 | 4 | 1 |

CANADIAN HEMOPHILIA REGISTRY
Rare Coagulation Disorders, April 15, 2014
STATS CANADA - AGE GROUPS

Report Date: April-15-14

| | | | | | | | | |
|-----------|---------|-----------|--------|--------|----------------------------|-----------|------------------------------------|----------|
| Selection | Prov: * | Inhib.: * | HIV: * | HCV: * | Centre: All Centers | Gender: * | PtStatus: Active or Pending | Level: * |
|-----------|---------|-----------|--------|--------|----------------------------|-----------|------------------------------------|----------|

| Category | Gender | Count | (0-4) | (5-9) | (10-14) | (15-24) | (25-34) | (35-44) | (45-54) | (55-64) | (65-74) | (75-84) | (85+) |
|------------------|--------|-------------------|------------|----------|----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| Factor XI | | | | | | | | | | | | | |
| FXI | F | 7 | 0 | 1 | 2 | 0 | 0 | 1 | 2 | 1 | 0 | 0 | 0 |
| | M | 2 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| | | subtotal : | 9 | 0 | 2 | 2 | 0 | 0 | 1 | 2 | 2 | 0 | 0 |
| FXI severe | F | 16 | 0 | 0 | 3 | 1 | 0 | 3 | 5 | 1 | 2 | 0 | 1 |
| | M | 13 | 0 | 0 | 0 | 2 | 0 | 2 | 3 | 1 | 4 | 1 | 0 |
| | | subtotal : | 29 | 0 | 0 | 3 | 3 | 0 | 5 | 8 | 2 | 6 | 1 |
| FXI severe Inhib | F | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| | M | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | | subtotal : | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 |
| FXI mod | F | 22 | 0 | 0 | 0 | 1 | 1 | 2 | 6 | 2 | 6 | 2 | 2 |
| | M | 24 | 1 | 1 | 0 | 3 | 0 | 0 | 3 | 9 | 1 | 6 | 0 |
| | | subtotal : | 46 | 1 | 1 | 0 | 4 | 1 | 2 | 9 | 11 | 7 | 8 |
| FXI mild | F | 184 | 1 | 3 | 14 | 33 | 25 | 32 | 32 | 21 | 17 | 3 | 3 |
| | M | 99 | 0 | 3 | 5 | 30 | 17 | 13 | 7 | 13 | 8 | 0 | 3 |
| | | subtotal : | 283 | 1 | 6 | 19 | 63 | 42 | 45 | 39 | 34 | 25 | 3 |
| FXI unknown | F | 6 | 0 | 0 | 0 | 1 | 1 | 0 | 1 | 1 | 2 | 0 | 0 |
| | M | 5 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 2 | 0 | 0 | 0 |
| | | subtotal : | 11 | 0 | 0 | 0 | 1 | 2 | 0 | 3 | 3 | 2 | 0 |
| | | total : | 379 | 2 | 9 | 24 | 71 | 45 | 54 | 61 | 52 | 40 | 12 |

| | | | | | | | | | | | | | |
|--------------------|---|-------------------|-----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| Factor XIII | | | | | | | | | | | | | |
| FXIII | F | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| | M | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 | 0 | 0 | 0 |
| | | subtotal : | 3 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 0 | 0 | 0 |
| FXIII severe | F | 17 | 0 | 0 | 4 | 4 | 1 | 3 | 2 | 2 | 1 | 0 | 0 |
| | M | 15 | 0 | 1 | 1 | 2 | 3 | 2 | 0 | 5 | 1 | 0 | 0 |
| | | subtotal : | 32 | 0 | 1 | 5 | 6 | 4 | 5 | 2 | 7 | 2 | 0 |

CANADIAN HEMOPHILIA REGISTRY
Rare Coagulation Disorders, April 15, 2014
STATS CANADA - AGE GROUPS

Report Date: April-15-14

| | | | | |
|-----------|----------------------------|-----------|------------------------------------|----------|
| Selection | Prov: * | Inhib.: * | HIV: * | HCV: * |
| | Centre: All Centers | Gender: * | PtStatus: Active or Pending | Level: * |

| Category | Gender | Count | (0-4) | (5-9) | (10-14) | (15-24) | (25-34) | (35-44) | (45-54) | (55-64) | (65-74) | (75-84) | (85+) |
|--------------------------|-------------------|-------------|-----------|-----------|-----------|------------|------------|------------|------------|------------|-----------|-----------|-----------|
| Factor XIII | | | | | | | | | | | | | |
| FXIII severe Inhib | M | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 |
| | <i>subtotal :</i> | | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FXIII mod | F | 4 | 0 | 0 | 0 | 1 | 1 | 1 | 0 | 1 | 0 | 0 | 0 |
| | M | 2 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 |
| <i>subtotal :</i> | | 6 | 0 | 0 | 0 | 1 | 1 | 2 | 1 | 1 | 0 | 0 | 0 |
| FXIII mild | F | 6 | 0 | 1 | 1 | 0 | 1 | 1 | 2 | 0 | 0 | 0 | 0 |
| | M | 6 | 2 | 0 | 0 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>subtotal :</i> | | 12 | 2 | 1 | 1 | 4 | 1 | 1 | 2 | 0 | 0 | 0 | 0 |
| FXIII unknown | F | 2 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 | 0 | 0 |
| | M | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| <i>subtotal :</i> | | 3 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 1 | 0 | 0 |
| <i>total :</i> | | 57 | 2 | 2 | 6 | 12 | 7 | 9 | 7 | 8 | 3 | 0 | 1 |
| Alpha2Antiplasmin | | | | | | | | | | | | | |
| Alpha2Antiplasmi | F | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | M | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| <i>subtotal :</i> | | 2 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| <i>total :</i> | | 2 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| Report Total | | 1000 | 12 | 27 | 65 | 175 | 145 | 140 | 139 | 121 | 91 | 54 | 31 |